

ALWAYS
THE BEST
**PROTECTION
PROFILES**

**PVC
SHOCKPROOF
PROTECTION
PROFILES**



IMPACT TEST




OUR **PENDULUM MACHINE** FOR CRASH REPORTS




OUR SERVICES

RESEARCH AND DEVELOPMENT

CUSTOMISED PROJECT MANAGEMENT SERVICE



OUR MATERIAL



FIRE CLASS V0,
SELF-EXTINGUISHING,
NON-FLAME SPREAD
MATERIAL

FOR FLEXIBLE BARRIER

PROTECTION ARE THE BEST CHOICE IN COMPARISON TO METAL OR OTHER MATERIALS

	PVC 😊	METAL 😞	PE/PP 😞	WOOD 😞
EASY CLEANING	● ● ● ● ●	● ● ● ● ○	● ● ○ ○ ○	○ ○ ○ ○ ○
SCRATCHES	● ● ● ● ●	● ● ● ○ ○	● ● ● ○ ○	● ○ ○ ○ ○
FLEXIBILITY	● ● ● ● ●	● ○ ○ ○ ○	● ● ● ● ●	● ● ○ ○ ○
SHOCK ABSORBER	● ● ● ● ●	○ ○ ○ ○ ○	● ● ● ● ○	● ● ○ ○ ○
FAST INSTALLATION	● ● ● ● ●	● ● ● ● ●	● ● ● ○ ○	● ● ● ● ○
SAVE SPACE	● ● ● ● ○	● ● ● ● ●	● ● ○ ○ ○	● ● ● ○ ○
FIRE RESISTANT	● ● ● ● ○	● ● ● ● ●	○ ○ ○ ○ ○	○ ○ ○ ○ ○
LONG LASTING	● ● ● ● ●	● ● ● ● ●	● ● ● ○ ○	● ● ○ ○ ○

NEWS

RESEARCH AND DEVELOPMENT NEVER STOP!

ORANGE LINE

AVAILABLE FOR:
LM / PED 150 /
TOWER




HIGHER
VISIBILITY
FOR A GREATER
SAFETY!

NEWS

RESEARCH AND DEVELOPMENT NEVER STOP!

CLIP 90


AVAILABLE FOR:
LM / PED 150 /
TOWER




EASY TO
INSTALL



CUSTOMIZE
YOUR BARRIER



MORE
VISIBILITY



CUT THE RAIL AND DRILL IT WITH GENIUS 



WORLD'S UNIQUE SYSTEM!
YOUR CUSTOMIZED BARRIER AND HUG TOWER

01

RACK PROTECTION

OUR PROFILES FIT ALL RACKS



**HIGH
IMPACT
ABSORPTION**

Full range of techno polymer profiles for protection of warehouse racks.

Gamma completa di profili in tecnopolimeri per la protezioni di scaffali.


Complète gamme de profilés en tecnopolimère pour la protection d'étagères de dépôts.

Gama completa de perfiles de tecnopolímeros para las protecciones de estanterías.



EASY
TO
INSTALL

THE ONLY
ONE WITH
TRIPLE SHOCK
ABSORBER




RPS 600

60 80

Available also size 400

ANTISHOCK
MATERIAL
INSIDE

Packing 6 pcs / box
Packing 114 pcs / big parcel
Colour M





RPM 600

80 100

Available also size 400

ANTISHOCK
MATERIAL
INSIDE

Packing 4 pcs / box
Packing 80 pcs / big parcel
Colour M




RPL 600

100 120

Available also size 400

ANTISHOCK
MATERIAL
INSIDE

Packing 2 pcs / box
Packing 54 pcs / big parcel
Colour M



RPL XL 600

100 120

Available also size 400



ANTISHOCK
MATERIAL
INSIDE

Packing to be defined
Colour M



RP CLICK

Packing 1 pc / box



RPF 600


60 130

Equipped with accessories

FLEXIBLE

Packing 2 pcs
Colour M

Axle spacing
25 - 50 - 75 mm



RACK CORNER

Equipped with accessories

ANTISHOCK
MATERIAL
INSIDE

Packing to be defined
Colour M




Rack / Barriers

SM



DIFFERENT
SIZES ON
REQUEST


FAST
AND EASY
TO INSTALL



SM 1500x400 MODULAR

Packing
Colour **B** **M**


Equipped with accessories



SM 1100x400

Length
Packing
Colour **B** **M**

Equipped with accessories



LM




DIFFERENT
SIZES ON
REQUEST

FAST
AND EASY
TO INSTALL




M12
GALVANISED STEEL



LM 2000x500 MODULAR

Packing unpacked on pallet
Colour B M


Equipped with accessories



LM 1100x500
LM 2400x500

Length 1.100 / 2.400 mm
Packing unpacked on pallet
Colour B M

Equipped with accessories



Rack / Barriers

FENCE 90



DIFFERENT
SIZES ON
REQUEST

FAST
AND EASY
TO INSTALL




M12
GALVANISED STEEL



FE 90 1100x350

Length 1.100 mm
Packing unpacked on pallet
Colour B M


Equipped with accessories



FE 90 2400x350

Length 2.400 mm
Packing unpacked on pallet
Colour B M

Equipped with accessories



FENCE 150



DIFFERENT
SIZES ON
REQUEST

FAST
AND EASY
TO INSTALL




M12
GALVANISED STEEL



FE 150 1100x550

Length 1.100 mm
Packing unpacked on pallet
Colour B M

Equipped with accessories



FE 150 2400x550

Length 2.400 mm
Packing unpacked on pallet
Colour B M

Equipped with accessories



FENCE 150 REINFORCED



DIFFERENT
SIZES ON
REQUEST

FAST
AND EASY
TO INSTALL



FE 150 REF 1100x550

Length 1.100 mm
Packing unpacked on pallet
Colour B M

Equipped with accessories



FE 150 REF 2400x550

Length 2.400 mm
Packing unpacked on pallet
Colour B M

Equipped with accessories



FENCE LINK



DIFFERENT
SIZES ON
REQUEST

FAST
AND EASY
TO INSTALL




**M12
GALVANISED STEEL**




FE LINK 1100x550

Length **1.100 mm**
Packing **unpacked on pallet**
Colour **B M**




Equipped with accessories



FE LINK 2400x550

Length **2.400 mm**
Packing **unpacked on pallet**
Colour **B M**



Equipped with accessories



02


BOLLARD

Designed to protect access to gates or big doors from huge traffic or simply to mark restricted areas for pedestrians.
Fully equipped with fixing accessories.

Ideato per proteggere l'accesso a cancelli o portoni dalla movimentazione di mezzi pesanti o semplicemente per impedire l'ingresso di pedoni. Provvisto di accessori di fissaggio.

Étudié pour protéger l'accès aux portes ou entrées de grand trafic ou simplement pour marquer les zones de passage piétons. Equipé avec les accessoires d'installation.

Diseñado para proteger el acceso a puertas o portones del movimiento de vehículos pesados o simplemente para evitar la entrada de peatones. Provisto de accesorios de fijación.



Bollard

GRD 90



LIGHT LOAD /
FOR HANDPALLET
TRUCKS

FAST
AND EASY
TO INSTALL




M12
GALVANISED STEEL



GRD 90 250

Packing
Colour unpacked on pallet

B M



Equipped with accessories



GRD 150



Bollard



M12
GALVANISED STEEL




GRD 150 * 500
800
1150


Equipped with accessories

Packing
Colour

unpacked on pallet
B M



GRD 200



NEW
ANTISHOCK
BUMPER



Bollard

FAST
AND EASY
TO INSTALL



S16
GALVANISED STEEL




GRD 200 1200
2000

Equipped with accessories

Packing
Colour

unpacked on pallet
M



03

GUARD RAILS

A new bumper system specific for the protection of the walls resistant against trolleys movements. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different lengths.

Sistema profili antiurto specifico per la protezione delle pareti dai carrelli in movimento. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibile in diverse lunghezze.

Nouveau système bumper, spécifique pour protéger les murs contre les mouvements des charriots. Étudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents longueurs.

Sistema de perfiles anti-impacto específico para la protección de las paredes de los carros en movimiento. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes longitudes.



TRUCK LINE



DIFFERENT
SIZES ON
REQUEST



M20
STAINLESS STEEL




TL	500	2000
	750	3000
	1000	4000
	1500	

Equipped with accessories

Packing
Colour

to be defined

B M



Guard Rails


GUARD RAIL 90



QUICK
INSTALLATION
WITH
EXPANSION
SCREW



M16
GALVANISED STEEL



ALTERNATIVE FIXING
HIGH RESISTANCE WITH RESIN
M16
STAINLESS STEEL




GR 90 500
750
1000
1500

Length 500 mm
Packing unpacked on pallet

Length 750 / 1000 / 1500 mm
Packing 2 pz / box

Colour B M



Equipped with accessories



GR 90 2000
3000
4000

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M


Equipped with accessories



GUARD RAIL 150




M20
STAINLESS STEEL




GR 150 500
750
1000
1500

Length 500 / 750 /
1000 / 1500 mm
Packing unpacked on pallet
Colour B M




Equipped with accessories



GR 150 2000
3000
4000

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M




Equipped with accessories



Guard Rails

GRIN 90




M12
GALVANISED STEEL



GRIN 90 1500

Length 1500 mm
Packing to be defined
Colour M



GRINCO 90

Packing to be defined
Colour M


Equipped with accessories




GRINT 90

Packing to be defined
Colour M

Equipped with accessories



GRIN 150




GRIN 150 2000

Length 2000 mm
Packing to be defined
Colour M




GRINCO 150

Packing to be defined
Colour M




Equipped with accessories



GRINT 150

Packing to be defined
Colour M



Equipped with accessories



04

COLD LINE


Specific solutions for the protection of areas at risk of impact, in environments with negative temperature. They are suitable to protect corners, entrances, gates, panels and cold rooms walls.



Soluzioni specifiche per la protezione di zone a rischio d'impatto in ambienti a temperatura negativa. Ideali per proteggere angoli sporgenti, accessi e portoni, pannelli e pareti di celle frigorifere.

Solutions spécifiques pour la protection des zones à risque de collision dans les environnements à température négative. Idéal pour protéger les angles, les entrées et les portes, les panneaux et les murs des chambres froides.

Soluciones específicas para proteger las zonas con riesgo de impacto en entornos de temperatura negativa. Son ideales para proteger esquinas, entradas y puertas, paneles y paredes de las cámaras frigoríficas.



-30°

**RESISTANT
TO LOW
TEMPERATURES**



Cold Line

ROD 70



RE
EASY TO
REMOVE AND
TO REPLACE



RESISTANT TO
LOW TEMPERATURES



M20
GALVANISED STEEL


Fixing accessory available also in stainless steel



ROD PE 70 266 RE

Packing
Colour **1 pc / box**

Drill Ø 38
Equipped with accessories




ROD 120



RE
EASY TO
REMOVE AND
TO REPLACE



Cold Line




Fixing accessory available also in stainless steel



ROD PE 120 433 RE
560 RE

Drill Ø 56
Equipped with accessories

Packing
Colour 1 pc / bag
M



Cold Line

ROD FLOOR 70




QUICK
INSTALLATION
WITH
EXPANSION
SCREW



M16
GALVANISED STEEL




RESISTANT TO
LOW TEMPERATURES




RF 70 500
1000
1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories




RF 70 2000
3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories






ROD FLOOR 120




Cold Line

M20
STAINLESS STEEL



RF 120 500
1000
1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories



RF 120 2000
3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



05

PEDESTRIAN SAFETY BARRIERS

A new protection system specific for the protection of pedestrians and resistant to trolleys movements with different load types. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different lengths.

Sistema di profili antiurto specifico per la protezione delle aree pedonali dai carrelli in movimento con diverse portate di carico. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibile in diverse lunghezze.

Nouveau système bumper, spécifique pour protéger les zones piétonnes contre les mouvements des chariots. Étudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents longueurs.



Sistema específico de perfiles antichoque para la protección de zonas peatonales de carros en movimiento con diferentes capacidades de carga. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes longitudes.



HAND RAIL 90





FAST
AND EASY
TO INSTALL



**HR 90 1500x1150
MODULAR**

Equipped with accessories


Packing
Colour **unpacked on pallet**
M



**HR 90 1500x1150
CORNER**

Equipped with accessories

Packing
Colour **unpacked on pallet**
M



Pedestrian Safety Barriers


PEDESTRIAN 90



FAST
AND EASY
TO INSTALL





M12
GALVANISED STEEL



PED 90 1500x1150
MODULAR

Equipped with accessories


Packing Colour unpacked on pallet
 B M



PED 90 1500x1150
CORNER

Equipped with accessories

Packing Colour unpacked on pallet
 B M



PEDESTRIAN 150



FAST
AND EASY
TO INSTALL




**PED 150 2000x1150
MODULAR**

Equipped with accessories

Packing
Colour

unpacked on pallet
B M





**PED 150 2000x1150
CORNER**

Equipped with accessories

Packing
Colour

unpacked on pallet
B M



PEDESTRIAN 90 REINFORCED




M12 GALVANISED STEEL



PED 90 REF MODULAR

Equipped with accessories

Packing Colour
unpacked on pallet
B M



PEDESTRIAN 150 REINFORCED LINK



FAST
AND EASY
TO INSTALL




PED 150 REF LINK

Equipped with accessories

Packing Colour
unpacked on pallet

B M



06

DOORS

Safety gate system with different opening possibilities, ideated to be installed on our pedestrian barriers. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different opening systems.

Sistema di cancelli antiurto ideati per l'installazione nelle nostre barriere di protezione per aree pedonali. Progettati seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibili molteplici sistemi di apertura.

Système de portillons résistant aux chocs étudié pour l'installation de nos barrières de protections pour les zones piétons. Portillons conçus suivant un design innovant qui combine rapidité et simplicité pendant le montage et le nettoyage. Différents systèmes d'ouvertures disponibles.

Sistema de puertas antigolpe diseñadas para la instalación de nuestras barreras de protección para áreas peatonales. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Están disponibles varios sistemas de apertura.



FULL FRAME




Full frame

DIFFERENT
SIZES ON
REQUEST

FAST
AND EASY
TO INSTALL

NEW
BIGGER PLATES!




M16
STAINLESS STEEL

OPTION:
WALL FIXING
ACCESSORIES




DOOR PEDESTRIAN 90

DIFFERENT
SIZES ON
REQUEST




NEW **SWING**
OPENING



DP 90
ONE WAY

Packing
Colour **to be defined**
M



Equipped with accessories



DP 90
SWING

Packing
Colour **to be defined**
M


Equipped with accessories



DP 90
SWING
DOUBLE


Packing
Colour **to be defined**
M

Equipped with accessories





DOOR PEDESTRIAN 150

DIFFERENT
SIZES ON
REQUEST





NEW **SWING**
OPENING



**DP 150
ONE WAY**

Packing
Colour **to be defined**
M



Equipped with accessories



**DP 150
SWING**

Packing
Colour **to be defined**
M


Equipped with accessories



**DP 150
SWING
DOUBLE**

Packing
Colour **to be defined**
M

Equipped with accessories



LIFT GATE 90



DIFFERENT
SIZES ON
REQUEST

NEW

LIFT GATE 90 DOUBLE



DOUBLE GATE



LIFT GATE 90

Packing
Colour **to be defined**
M

Equipped with accessories



LIFT GATE 90 DOUBLE

Packing
Colour **to be defined**
M

Equipped with accessories



LIFT GATE 150

DIFFERENT
SIZES ON
REQUEST

NEW

LIFT GATE 150 DOUBLE




DOUBLE GATE



SAFETY **BLOCKING**





SAFETY **BLOCKING**



LIFT GATE 150

Packing Colour **to be defined**
M


Equipped with accessories



LIFT GATE 150 DOUBLE

Packing Colour **to be defined**
M

Equipped with accessories



07 LINK

The first adaptable barrier in the world thanks to the new connection system. Rail adjustable height, easy to set up, higher resistance in the most critical points.

Prima barriera al mondo regolabile a piacimento con nuovo sistema di raccordo. Altezza regolabile, facilmente componibili e resistenza potenziata nei punti piu' critici.


Première barrière au monde à modifier aux besoins avec un nouveau système de jonction. Hauteur à changer, facile à assembler et résistance renforcée aux points plus compliqués.

Primera barrera del mundo ajustable según lo necesario con un nuevo sistema de ajuste. Altura ajustable, fácilmente componibles y resistencia potenciada en los puntos más críticos.

**NEW
PRODUCT**




**ADAPTABLE
HEIGHT**
↕
**ON YOUR
NEEDS**




LINK 150/3



DIFFERENT SIZES ON REQUEST





M12 GALVANISED STEEL



LINK 150/3

Equipped with accessories


Packing Colour unpacked on pallet M



LINK 150/3 CORNER

Equipped with accessories

Packing Colour unpacked on pallet M




Link

LINK 150/2



DIFFERENT
SIZES ON
REQUEST



M12
GALVANISED STEEL




LINK 150/2

Packing
Colour

unpacked on pallet

M


Equipped with accessories



LINK 150/1




DIFFERENT
SIZES ON
REQUEST



LINK 150/1

Equipped with accessories

Packing
Colour unpacked on pallet
 M




Link


LINK LM



DIFFERENT
SIZES ON
REQUEST





M12
GALVANISED STEEL



LINK LM 500
800

Equipped with accessories


Packing
Colour **unpacked on pallet**
M



LINK LM
CORNER

Equipped with accessories


Packing
Colour **unpacked on pallet**
M




LINK SINGLE



DIFFERENT
SIZES ON
REQUEST





M12
GALVANISED STEEL



LINK SINGLE 500
800

Equipped with accessories


Packing
Colour **M** unpacked on pallet



LINK SINGLE
CORNER

Equipped with accessories

Packing
Colour **M** unpacked on pallet



08

B FLEX


A new safety protection system with reinforced profile. It is a more flexible and shock-absorber solution. Designed to ensure high safety standards and to resist impacts from heavy loads. Available in many different versions.



Nuovo sistema di protezioni con profilo rinforzato, doppiamente flessibile e assorbente. Progettato e realizzato con un particolare design per garantire alti livelli di sicurezza e resistere all'impatto da carichi pesanti. Disponibile in diverse versioni.

Nouveau système de protection avec profil renforcé, doublement flexible et absorbant. Conçu et produit avec un design particulier pour assurer des niveaux élevés de sécurité et résister à l'impact des charges lourdes. Disponible en plusieurs versions.

Nuevo sistema de protección con perfil reforzado, más flexible y capaz de absorber los impactos. Diseñado para asegurar el entorno laboral y para resistir a los impactos de cargas pesadas. Disponible en diferentes versiones.



BFlex


BFLEX.FRONT/1



BFLEX.FRONT/1 2000x450
MODULAR

Packing
Colour **M**


Equipped with accessories



BFLEX.FRONT/1 1100x450
BFLEX.FRONT/1 2400x450

Length
Packing
Colour **M**

Equipped with accessories




BFLEX.FRONT/2



BFLEX.FRONT/2 2000x1100
MODULAR

Packing unpacked on pallet
Colour M


Equipped with accessories



BFLEX.FRONT/2 1100x1100
BFLEX.FRONT/2 2400x1100

Length 1.100 / 2.400 mm
Packing unpacked on pallet
Colour M

Equipped with accessories



BFlex

BFLEX.COM/1




**M12
GALVANISED STEEL**



**BFLEX.COM/1 2000x450
MODULAR**

Packing
Colour **unpacked on pallet**
 B M




Equipped with accessories



**BFLEX.COM/1 1100x450
BFLEX.COM/1 2400x450**

Length **1.100 / 2.400 mm**
Packing **unpacked on pallet**
Colour B M



Equipped with accessories




BFLEX.COM/2



**BFLEX.COM/2 2000x1100
MODULAR**

Packing **unpacked on pallet**
Colour **B M**




Equipped with accessories



**BFLEX.COM/2 1100x1100
BFLEX.COM/2 2400x1100**

Length **1.100 / 2.400 mm**
Packing **unpacked on pallet**
Colour **B M**



Equipped with accessories



REMOVABLE PLATE

NOW READY
NEW OPTIONS FOR
OUR **SAFETY BARRIERS**
AND **RACK PROTECTORS**




REMOVABLE PLATE

AVAILABLE FOR:

LINK / SM / LM / FENCE


HR 90 / PED 90 / PED 150



09

COLUMN PROTECTION

A new bumper system specific for the protection of the columns resistant against trolleys movements and for different load types. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different heights and fixing systems.



Sistema di profili specifico per la protezione delle colonne dai carrelli in movimento di varie portate. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nella fasi di installazione e pulizia. Disponibile in diverse altezze e tipologie di fissaggio.

Nouveau système bumper, spécifique pour protéger les pouteaux contre les mouvements des chariots. Étudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents hauteurs et différents fixations.

Sistema de perfiles específico para la protección de las columnas de los carros en movimiento de diferentes capacidades. Diseñado según un innovador diseño técnico que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes alturas y tipos de fijación.


- 
- REMOVABLE
 - NO SCRATCHES
 - VERY SOLID AND SLIM DESIGN
 - NO FIXING IS REQUIRED

Column protection

COLUMN PROTECTION 90



DIFFERENT
SIZES ON
REQUEST




M16
STAINLESS STEEL



COPRO 90 500x500
600x600
700x700

Equipped with accessories



Packing
Colour
unpacked on pallet
M



COLUMN PROTECTION 150



Column protection




COPRO 150 500x500
600x600
700x700

Equipped with accessories

Packing
Colour

unpacked on pallet
M



Column protection


HUG TOWER




DIFFERENT
SIZED AND
HEIGHT ON
REQUEST

COMPACT

CHOOSE THE
HEIGHT YOU NEED!
UP TO 5 RAILS



1100




**NO HOLES
ON THE FLOOR AND COLUMN!**




**HUG TOWER 500x500
600x600
700x700**

Equipped with accessories

Packing
Colour **M** to be defined



TOWER PROTECTION



M12
GALVANISED STEEL




TOWER 500x500
600x600
700x700

Equipped with accessories

Packing
Colour

to be defined
M



10

LOADING BAYS PROTECTIONS

Loading bays protections are shock-proof solutions which are set up near loading doors. They avoid possible slipping, falling and flipping of moving vehicles near open and unmanned loading bays.

Sistema di protezione antiurto installato in prossimità delle porte di carico. Permettono di evitare situazioni ad alto rischio di scivolamento, caduta e ribaltamento dei mezzi in movimento in presenza di baie di carico aperte e non presidiate.

Système de protection contre les chocs installé près des portes de chargement. Ils permettent d'éviter des situations en raison du risque élevé de glissement, de chute et de basculement des véhicules en mouvement en présence de quais de chargement ouverts et sans surveillance.

La protección de muelles de carga es un sistema anticolidión que está cerca de las puertas de carga. Evitan los riesgos de deslizamiento, caída y derrocamiento los vehículos en movimiento cuando están cerca de los muelles de carga abiertos y no vigilados.




DOCK GATE



DOCK GATE L 2400-2500

Packing Colour **M** to be defined




Equipped with accessories



DOCK GATE XL 2500-3000

Packing Colour **M** to be defined



Equipped with accessories



11

CORNER PROTECTION

Designed to protect pillars and columns or external corners of walls and panels.


Realizzato per proteggere pilastri e colonne o angoli esterni di muri e pannelli.

Étudié pour protéger les poteaux et les colonnes ou les angles extérieurs de murs et de panneaux.

Realizado para proteger pilares y columnas o esquinas exteriores de paredes y paneles.




Corner Protection



CP 100

Length **4.000 mm**
 Packing **10 pcs / box**
 Colour **B M E F**

Length **2.000 mm**
 Packing **2 pcs / bag**
 Colour **M**



CPF 100



Length **4.000 mm**
 Packing **10 pcs / bag**

Length **2.000 mm**
 Packing **2 pcs / bag**



CPT 100


Packing **40 pcs / box**
 Colour **B E F**



CP 200

Length **4.000 mm**
 Packing **2 pcs / bag**
 Colour **B M E**

Length **2.000 mm**
 Packing **2 pcs / bag**
 Colour **M**





CPF 200

Length **2.000 / 4.000 mm**
 Packing **2 pcs / bag**



CPT 200

Packing **20 pcs / box**
 Colour **B E**



12 KERB


A large size protection system, ideal for walls and panels. Easy to install and clean. Fully equipped with corner caps and buttons.



Sistema di protezione di grandi dimensioni,
ideale per muri e pannelli. Facile da installare e pulire
Completo di angolari e tappi.

Système de protection
de grands dimensions, idéal
pour les murs et les panneaux.
Facile à installer et à nettoyer.
Complété de bouchons
d'angles et d'embouts.

Sistema de protección
de grande dimensión,
ideal para paredes
y paneles. Fácil de instalar
y limpiar. Completo de
esquinas y tapas.




Kerb



KS 200


Length 4.000 mm
Packing 3 pcs / box
Colour B M E



KEPF 200

To install with TB14



Packing 50 pcs / box
Colour K



KSJ 200

To install with TB14 / TF14


Packing 20 pcs / box
Colour B E



KSI 200

To install with TB14 / TF14


Packing 20 pcs / box
Colour B E



KSE 200

To install with TB14 / TF14


Packing 20 pcs / box
Colour B E



KSTD/SX 200

To install with TB14 / TF14


Packing 20 pcs / box
Colour B E



KSJ 200 LT


THERMAL
BREAK
RESISTANT

Packing to be defined
Colour K



KS 300


Length 4.000 mm
Packing 1 pc
Colour M E



KEPF 300

To install with TB20


Packing 40 pcs / box







KSJ 300
To install with TB20 / TF20

Packing 10 pcs / box
Colour B E




KSI 300
To install with TB20 / TF20

Packing 10 pcs / box
Colour B E




KSE 300
To install with TB20 / TF20

Packing 10 pcs / box
Colour B E



KSTDx/Sx 300
To install with TB20 / TF20

Packing 10 pcs / box
Colour B E



13


WALL PROTECTION

New bumper without guides. Thanks to its big size and resistance it is ideal for protection of industrial spaces. Fixed caps with hidden screws covered by specific buttons.



Nuovo profilo antiurto senza guida. La sua ampiezza e resistenza lo rende ideale per la protezione di ambienti industriali. Terminali fissati con viti nascoste da appositi bottoni.

Nouveau profilé anti-choc sans besoin d'une base à fixer. Sa mesure large et sa résistance en font le profilé parfait pour la protection des espaces industriels. Embouts fixés avec des vis cachées grâce à des bouchons spécifiques.

Nuevo perfil antigolpe sin guía. Su amplitud y resistencia lo hacen ideal para la protección de entornos industriales. Terminales fijados con tornillos ocultos por botones especiales.





Wall Protection




WP 100

Length 4.000 mm
Packing 8 pcs / box
Colour B E F




WP 150

Length 4.000 mm
Packing 4 pcs / box
Colour B M E




WPC
To install with WP 100 / WP 150

Length 4.000 mm
Packing 16 pcs / box
Colour A B M D E F G H




WPT 100
To install with TM5

Packing 50 pcs / box
Colour B E F




WPA 100
To install with TS9

Packing 20 pcs / box
Colour B E




WPT 150
To install with TM5

Packing 50 pcs / box
Colour B E





WPA 150
To install with TS9

Packing 20 pcs / box
Colour B E





Wall Protection




WP 100

Length 4.000 mm
Packing 8 pcs / box
Colour B E F




WP 150

Length 4.000 mm
Packing 4 pcs / box
Colour B M E




WPCS
To install with WP 100 / WP 150

Length 4.000 mm
Packing 8 pcs / box
Colour A B M D E F G H I




WPTS 100
To install with TS9

Packing 20 pcs / box
Colour B E




WPAS 100
To install with TS9

Packing 20 pcs / box
Colour B E




WPTS 150
To install with TS9



Packing 20 pcs / box
Colour B E



WPAS 150
To install with TS9

Packing 20 pcs / box
Colour B E






ASP 200




Length 4.000 mm
Packing 2 pcs / box
Colour B M



ASPT 200




Packing 10 pcs / box
Colour B D



ASA


Material aluminium
Length 4.000 mm
Packing 8 pcs / bundle



ASCO



Packing 2 pcs / box
L = 32.000 mm
Colour A B M D G




Wall Protection




WALL HUG 1000
2000
3000
4000

Length 1000/2000/3000/4000
Packing unpacked
Colour M



WALL BFLEX 1000
2000
3000
4000

Length 1000/2000/3000/4000
Packing unpacked
Colour M



NEWS



LOFT BARRIER

WORLD'S FIRST FIXED PROTECTION
SYSTEM FOR SUSPENDED AREAS




PROTEX

CORNER BUMPER GUARDS



FENCE LINK

THE ADAPTABLE STRONGEST
SOLUTION FOR RACK-ENDS



Now available
CUSTOMISED RACK PROTECTOR,
new version of rack protector
processed upon request!

CUSTOMISED RACK PROTECTOR

Fixing accessories



TM5

Hole required Ø 8.5

Neutral polyethylene. 100/500 Pcs. / bag.



TS9

Hole required Ø 5

White or grey nylon. 1000 Pcs. / bag.



TB14

Hole required Ø 4

Steel / aluminium, white. 500 Pcs. / box.



TF14

Hole required Ø 5

Aluminium. 500 Pcs. / box.



TB20

Hole required Ø 5

Steel / aluminium. 500 Pcs. / box.



TF20

Hole required Ø 6.5

Aluminium. 500 Pcs. / box.



M12

HILTI ANCHOR BOLT

Hole required Ø 12

Galvanized steel.



S12

HILTI ANCHOR BOLT

Hole required Ø 10

Galvanized steel.



S16

HILTI ANCHOR BOLT

Hole required Ø 14

Galvanized steel.



B12

HILTI INSERT

Hole required Ø 18

Galvanized steel.



B16

HILTI INSERT

Hole required Ø 22

Galvanized steel.



B20

HILTI INSERT

Hole required Ø 28

Galvanized steel.



S12FH

HILTI INSERT

Hole required Ø 10

Galvanized steel.



SF12

HILTI INSERT

Hole required Ø 14

Galvanized steel.



ROD 70 ZINCATA

HILTI INSERT

Hole required Ø 38

Galvanized steel.



ROD 70 INOX

HILTI INSERT

Hole required Ø 38

Galvanized steel.



ROD 120 INOX

HILTI INSERT

Hole required Ø 56

Galvanized steel.



ROD 120 ZINCATA

HILTI INSERT

Hole required Ø 56

Galvanized steel.

DMR srl reserves the right, at any time, to introduce the necessary changes and improvements to its products.
Any small imperfection in the products and in the materials used are due to the processing method.
Any reproduction of this brochure, even in part, is forbidden.

**SF16****HILTI INSERT**Hole required Ø 18
Galvanized steel.**M16****HILTI INSERT**Hole required Ø 16
Galvanized steel.**M16 INOX****HILTI INSERT**Hole required Ø 16
Galvanized steel.**FR****HILTI CHEMICAL ANCHOR**

300 ML

**M20****HILTI INSERT**Hole required Ø 24
Galvanized steel.**FIX P90**

Galvanized steel and painted.

**COVER 90 RE**

Galvanized steel and painted. 8 Pcs. / box.

**FIX 90 INOX**

Stainless steel.

**FIX P150**

Galvanized steel and painted.

**COVER 150 RE**

Galvanized steel and painted.

**FIX P150 INOX**

Stainless steel.

**FIX P150 FH**

Galvanized steel and painted.

**FULL FRAME BASE**

Galvanized steel and painted.

Colours

RED
RAL 3002GREY
RAL 7040BLACK
RAL 9005WHITE
RAL 9010WHITE
RAL 9002BLUE
RAL 5005GREEN
RAL 6029SILVER
RAL 9006LIGHT GREY
RAL 7035DARK GREY
RAL 7024LIGHT YELLOW
RAL 1018

Cleaner resistant



Cheap



Easy to clean



YES



NO



Quick assembly



Long resistance



Good thermal insulation



Shockproof



Good waterproof




Non toxic

Class V0
self-extinguishing
fire resistance

DMR srl reserves the right, at any time, to introduce the necessary changes and improvements to its products.
Any small imperfection in the products and in the materials used are due to the processing method.
Any reproduction of this brochure, even in part, is forbidden.

OUR INSTALLATION





OUR INSTALLATION

